



Atty. Dkt. No. 68.0316CIP1/DIV

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Wetz et al.

Title: INTELLIGENT WELL
SYSTEM AND METHOD


Appl. No.: 10/797,161

Filing Date: 03/10/2004

Examiner: Dang, Hoang C.

Art Unit: 3672

Confirmation No.: 4024

CERTIFICATE OF EXPRESS MAILING	
I hereby certify that this correspondence is being deposited with the United States Postal Service's "Express Mail Post Office To Addressee" service under 37 C.F.R. § 1.10 on the date indicated below and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.	
EV 828706118 US (Express Mail Label Number)	July 7, 2006 (Date of Deposit)
Deborah A. Kocorowski (Printed Name)	
 (Signature)	

Mail Stop **AMENDMENT**
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AND REPLY TRANSMITTAL

Transmitted herewith is an Amendment and Reply in the above-identified patent application.

- ☒ [X] Amendment and Reply Under 37 C.F.R. § 1.111 (11 pages).
- ☒ [X] The fee required for additional claims is calculated below:

	Claims As Amended		Previously Paid For		Extra Claims Present		Rate		Additional Claims Fee
Total Claims:	26	-	37	=	0	x	\$50.00	=	\$0.00
Independent Claims:	4	-	5	=	0	x	\$200.00	=	\$0.00
First presentation of any Multiple Dependent Claims:						+	\$360.00	=	\$0.00
CLAIMS FEE TOTAL									= \$0.00

☐ The Applicants hereby petition for an extension of time under 37 C.F.R. § 1.136(a) for the total number of months checked below:


<input type="checkbox"/> Extension for response filed within the first month:	\$120.00	\$0.00
<input type="checkbox"/> Extension for response filed within the second month:	\$450.00	\$0.00
<input type="checkbox"/> Extension for response filed within the third month:	\$1,020.00	\$0.00
<input type="checkbox"/> Extension for response filed within the fourth month:	\$1,590.00	\$0.00
<input type="checkbox"/> Extension for response filed within the fifth month:	\$2,160.00	\$0.00
EXTENSION FEE TOTAL:		\$0.00
<input type="checkbox"/> Statutory Disclaimer Fee under 37 C.F.R. § 1.20(d):	\$130.00	\$0.00
CLAIMS, EXTENSION AND DISCLAIMER FEE TOTAL:		\$0.00
<input type="checkbox"/> Small Entity Fees Apply (subtract ½ of above):		\$0.00
Extension Fees Previously Paid:		\$0.00
TOTAL FEE:		\$0.00

If any extensions of time are needed for timely acceptance of papers submitted herewith, the Applicants hereby petition for such extension under 37 C.F.R. § 1.136 and authorize payment of any such extensions fees to Deposit Account No. 06-1447.

Please direct all correspondence to the undersigned attorney or agent at the address indicated below.


Respectfully submitted,

Date July 7, 2006

By 

FOLEY & LARDNER LLP
777 E Wisconsin Avenue
Milwaukee, Wisconsin 53202-5306
Telephone: (414) 297-5849
Facsimile: (414) 297-4900


Sean P. Connolly
Attorney for the Applicants
Registration No. 56,668



Atty. Dkt. No. 68.0316CIP1/DIV

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Wetzel et al.
Title: INTELLIGENT WELL
SYSTEM AND METHOD
Appl. No.: 10/797,161
Filing Date: 03/10/2004
Examiner: Dang, Hoang C.
Art Unit: 3672
Confirmation No.: 4024

CERTIFICATE OF EXPRESS MAILING	
I hereby certify that this correspondence is being deposited with the United States Postal Service's "Express Mail Post Office To Addressee" service under 37 C.F.R. § 1.10 on the date indicated below and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.	
EV 828706118 US (Express Mail Label Number)	July 7, 2006 (Date of Deposit)
Deborah A. Kocorowski (Printed Name)	
 (Signature)	

Mail Stop **AMENDMENT**
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AND REPLY UNDER 37 C.F.R. § 1.111

This communication is responsive to the Non-Final Office Action dated April 7, 2006, concerning the above-referenced patent application.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this document.

Remarks/Arguments begin on page 6 of this document.

Please amend the application as follows: